



admiral

SAFETY DATA SHEET

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER
Product number	AD-3567; CD0012
Internal identification	6001
Container size	500ml & 5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	For professional use only.
Uses advised against	Not for oral consumption. Not for direct contact with Food or Beverage stuffs. Not for use by Children.

1.3. Details of the supplier of the safety data sheet

Supplier	Admiral Group of Companies Unit 2, Bardon 22 Industrial Estate, Coalville, Leicestershire, LE67 1TE Tel: +44 (0) 1530 278920 Fax: +44 (0) 1530 278930
Manufacturer	MERLIN CHEMICALS Unit 5, Passfield Mill Business Park, Liphook, Hampshire, GU30 7RR +44 (0)1428 751122 +44 (0)1428 751133 technical@merlinchemicals.co.uk

1.4. Emergency telephone number

Emergency telephone	Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number)
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

Hazard pictograms



Signal word

Warning

Hazard statements

H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P243 Take action to prevent static discharges.
P305 IF IN EYES:
P352 Wash with plenty of water.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P301 IF SWALLOWED:
P330 Rinse mouth.
P370+P378 In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL	60-100%
CAS number: 64-17-5	EC number: 200-578-6
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11
Eye Irrit. 2 - H319	
PROPAN-2-OL	1-5%
CAS number: 67-63-0	EC number: 200-661-7
	REACH registration number: 01-2119457558-25
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F; R11. Xi; R36. R67
Eye Irrit. 2 - H319	
STOT SE 3 - H336	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments

To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

General first aid, rest, warmth and fresh air.

Inhalation

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	In the unlikely event of irritation cease use and seek medical advice.
Eye contact	Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort.
Inhalation	Unlikely route of exposure without deliberate abuse. Likely to cause light-headed dizzy sensation.
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur.
Skin contact	Mild irritation may be noted on cuts and skin abrasions.
Eye contact	May cause irritation to the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Contains Ethanol
-----------------------------	------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is highly flammable. Keep away from heat and sources of ignition.
Hazardous combustion products	Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
--------------------------------	--

6.4. Reference to other sections

Reference to other sections	See sections 8, 12 & 13
------------------------------------	-------------------------

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Wear protective clothing as described in Section 8 of this safety data sheet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store below 30°C. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Alcohol hand sanitiser.

Usage description Refer to use instructions.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance.

ETHANOL (CAS: 64-17-5)

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

DNEL	Professional - Inhalation; Chronic effects: 950 mg/m ³ Consumer - Dermal; Long term Chronic effects: 206 mg/kg Consumer - Inhalation; local effects: 950 mg/m ³ Consumer - Inhalation; Chronic effects: 114 mg/m ³ - Oral; Long term Chronic effects: 87 mg/kg
PNEC	- Fresh water; 96 mg/l - marine water; 0.79 mg/l - Sediment (Freshwater); 3.6 mg/kg - Soil; 0.63 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL	Professional - Dermal; 1 d Chronic effects: 888 mg/kg Professional - Inhalation; Chronic effects: 500 mg/m ³
PNEC	- Fresh water; 140.9 mg/l - marine water; 140.9 mg/l - Sediment (Freshwater); 552 mg/kg - Sediment (Marinewater); 552 mg/kg - Soil; 28 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Not Applicable

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Provide eyewash station and safety shower.

Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.

Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

General Health and Safety Measures.

The above requirements refer to the neat chemical. In-use solutions may have a lower classification, however, a full risk assessment should be carried out before handling any chemical(s). Risk assessments should refer to COSHH and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and chemical properties

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

9.1. Information on basic physical and chemical properties

Appearance	Gel.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not applicable.
pH	6 - 8
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	~23.1 Degrees C (Closed Cup)
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	FLAMMABLE
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	0.8 - 0.9
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically practical for mixtures.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable. Contains no Explosive Components.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable. Contains no Oxidising Components.

9.2. Other information

Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not relevant.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

Explosive Properties Not Classified as Explosive

Storage Temperature Range 0 - 30°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions FLAMMABLE.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information See section 4.2.

Inhalation Vapour may irritate respiratory system/lungs.

Ingestion May cause nausea, headache, dizziness and intoxication. May cause discomfort if swallowed.

Skin contact Normal use is unlikely to cause irritation.

Eye contact May irritate eyes.

SECTION 12: Ecological information

Ecotoxicity This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Toxicity Normal use is not expected to pose an ecological risk.

Acute aquatic toxicity

Acute toxicity - fish This mixture is not classified as toxic to aquatic organisms.
See note 12.0

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Not technically practical for mixtures.

12.4. Mobility in soil

Mobility The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1170

UN No. (IMDG) 1170

UN No. (ICAO) 1170

UN No. (ADN) 1170

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	•2YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to
Annex II of MARPOL 73/78
and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures. This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.
----------------	---

15.2. Chemical safety assessment

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

ADMIRAL ALCOHOL HAND GEL / ADMIRAL UNIVERSAL HAND SANITISER

Abbreviations and acronyms used in the safety data sheet	(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.
General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Change to supplier address
Revision date	31/01/2019
SDS number	25828
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.
END OF SAFETY DATA SHEET	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.