



SAFETY DATA SHEET
ADMIRAL LEMON FLOOR GEL

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------------------------|-------------------------|
| Product name | ADMIRAL LEMON FLOOR GEL |
| Product number | 1472 |
| Internal identification | 1270 |
| Container size | 5L |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------|---|
| Identified uses | Floor cleaner. For professional use only. |
| Uses advised against | Not for oral consumption. |

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------|---|
| Supplier | Admiral Group of Companies Unit 2, Bardon 22 Industrial Estate, Coalville, Leicestershire, LE67 1TE Tel: +44 (0) 1530 278920 Fax: +44 (0) 1530 278930 |
| Manufacturer | MERLIN CHEMICALS Unit 5, Passfield Mill Business Park, Liphook, Hampshire, GU30 7RR +44 (0)1428 751122 +44 (0)1428 751133 technical@merlinchemicals.co.uk |

1.4. Emergency telephone number

| | |
|----------------------------|---|
| Emergency telephone | Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number) |
|----------------------------|---|

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

| | |
|------------------------------|--|
| Physical hazards | Not Classified |
| Health hazards | Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 |
| Environmental hazards | Aquatic Chronic 3 - H412 |

2.2. Label elements

ADMIRAL LEMON FLOOR GEL

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
 P280 Wear protective clothing, gloves, eye and face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P313 Get medical advice/ attention.
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine, AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL), Terpineol multiconstituent/Terpinolene multiconstituent, 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazoline-2,4-dione

Detergent labelling

5 - < 15% anionic surfactants, 5 - < 15% non-ionic surfactants, Contains 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazoline-2,4-dione, d-Limonene

Supplementary precautionary statements

P404 Store in a closed container.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|---|--|--|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine | | 5-10% |
| CAS number: 121617-08-1 | EC number: 939-464-2 | REACH registration number: 01-2119971970-28-XXXX |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xi; R41, R38 | |
| Eye Dam. 1 - H318 | | |

ADMIRAL LEMON FLOOR GEL

| | | |
|---|--|--|
| AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL) | | 5-10% |
| CAS number: 68155-07-7 | EC number: 931-329-6 | REACH registration number: 01-2119490100-53-XXXX |
| Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) Xi; R41, R38. N; R51/53 | |
| Terpineol multiconstituent/Terpinolene multiconstituent | | 1-5% |
| CAS number: — | | |
| This is a single multiconstituent substance. It has been synthesised from naturally occurring multiconstituent substances and due to its chemical complexity it has been dually registered under REACH as the following multiconstituent substances: Terpineol multiconstituent - CAS 8000-41-7, EC 232-268-1, REACH 01-2119553062-49 and Terpinolene multiconstituent - EC 938-945-4, REACH 01-2119982324-34-XXXX. | | |
| Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R36/38. N; R51/53. R10, R43 | |
| 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazoline-2,4-dione | | <1% |
| CAS number: 6440-58-0 | EC number: 229-222-8 | REACH registration number: 01-2119976015-37-XXXX |
| Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 | Classification (67/548/EEC or 1999/45/EC) Xn; R22. Xi; R36/37/38. R43 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|---|
| General information | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For immediate First Aid advice in the UK, dial 111. |
| Inhalation | Move affected person to fresh air. Get medical attention if any discomfort continues. |
| Ingestion | Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. |

ADMIRAL LEMON FLOOR GEL

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information Neat product will cause skin irritation and potentially permanent eye damage. Dilute product will result in less severe damage to the eyes, but contact should be treated as per neat chemical.

Inhalation Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.

Ingestion Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.

Skin contact Causes skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. May cause sensitisation by skin contact.

Eye contact May result in permanent eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Rinse well with water. May produce an allergic skin reaction

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible. When heated and in case of fire, irritating vapours/gases may be formed.

5.3. Advice for firefighters

Protective actions during firefighting Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.

ADMIRAL LEMON FLOOR GEL

6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.

7.3. Specific end use(s)

Specific end use(s) Floor cleaner. Refer to Product Information Sheet.

Usage description Not for direct food contact.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period. The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period. If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL. The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL) (CAS: 68155-07-7)

DNEL Industry - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Industry - Inhalation; Long term systemic effects: 73.4 mg/m³
 Consumer - Dermal; Long term systemic effects: 2.5 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 21.73 mg/m³
 Consumer - Oral; Long term systemic effects: 6.25 mg/kg/day

ADMIRAL LEMON FLOOR GEL

PNEC

- Fresh water; 0.007 mg/l
- marine water; 0.0007 mg/l
- Intermittent release; 0.0024 mg/l
- STP; 830 mg/l
- Soil; 0.0189 mg/l
- Sediment; 0.0424 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374 and EN 16523

Other skin and body protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.

Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.

Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

General Health and Safety Measures.

The above requirements refer to the neat chemical. In-use solutions may have a lower classification, however, a full risk assessment should be carried out before handling any chemical(s). Risk assessments should refer to COSHH and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-----------------|
| Appearance | Gel. |
| Colour | Yellow. |
| Odour | Lemon. |
| Odour threshold | Not applicable. |
| pH | 7.5 - 8.5 |

ADMIRAL LEMON FLOOR GEL

| | |
|---|---|
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Evaporation factor | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Other flammability | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | 1.000-1.006 |
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. Not technically practical for mixtures. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not determined. |
| Explosive properties | Not applicable. |
| Explosive under the influence of a flame | Not considered to be explosive. |
| Oxidising properties | Not applicable. Contains no Oxidising Components. |
| <u>9.2. Other information</u> | |
| Refractive index | Not applicable. |
| Particle size | Not applicable. |
| Molecular weight | Not applicable. |
| Volatility | Not applicable. |
| Saturation concentration | Not applicable. |
| Critical temperature | Not applicable. |
| Volatile organic compound | Not applicable. |
| Explosive Properties | Not Classified as Explosive |
| Storage Temperature Range | 0 - 40°C |

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

10.2. Chemical stability

ADMIRAL LEMON FLOOR GEL

Stability Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Bleach.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

General information

See section 4.2.

Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

Ingestion

May cause irritation to mouth, throat and GI tract.

Skin contact

Irritating to skin. May cause sensitisation by skin contact.

Eye contact

Risk of serious damage to eyes. May cause permanent eye injury.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient

Not applicable. Not technically practical for mixtures.

12.4. Mobility in soil

Mobility

The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

ADMIRAL LEMON FLOOR GEL

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

When handling waste, the safety precautions applying to handling of the product should be considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals.

Disposal methods

Small volumes of use solution can be disposed of to sewers. Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.

15.2. Chemical safety assessment

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

ADMIRAL LEMON FLOOR GEL

| | |
|---|--|
| Abbreviations and acronyms used in the safety data sheet | (EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises. |
| General information | This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2. |
| Revision comments | Product and SDS review, no change of classification. |
| Revision date | 24/09/2018 |
| SDS number | 21314 |
| Hazard statements in full | H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |
| REACH extended MSDS comments | REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet. |
| END OF SAFETY DATA SHEET | |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.